




LUMEN
CENTER
ITALIA

MORGANA / MERLINO

Amedeo G. Cavalchini, 2018/19





MORGANA, eclettica e sottile sospensione in alluminio estruso anodizzato naturale o nero. Diffusore in PMMA Bianco opale con fascio luminoso orientabile verso l'alto o verso il basso. Sorgente LED con temperature colore 2700K o 3000K, CRI >90.

Disponibile in tre lunghezze: MORGANA S - 143 cm, MORGANA M - 176 cm, MORGANA L - 209 cm. Cavo di alimentazione trasparente. Alimentatore dimmerabile TRIAC incluso.

MORGANA


Amedeo G. Cavalchini, 2018

MORGANA, eclectic and slight suspension in natural or black anodized aluminum extruded. Opal White PMMA diffuser, light beam adjustable upward or downward. LED light source with colour temperature 2700K or 3000K, CRI >90.


Available in three lengths: MORGANA S - 143 cm, MORGANA M - 176 cm, MORGANA L - 209 cm. Transparent power cable. Dimmable TRIAC power supply included.




MORGANA S



MORGANA M



MORGANA L



Units: cm

Finishes

- 172 Natural anodized aluminum
- 174 Black anodized aluminum

Diffuser

PMMA methacrylate

Cable

Transparent

Electronic driver

Dimmable included TRIAC

Light source

LED

LED 100-120V or 220-240V

2700K or 3000K CRI >90

MORGANA S 28W 3360lm

MORGANA M 34W 4080lm

MORGANA L 40W 4800lm

A

Certification

CE Classe I IP20

MERLINO


Amedeo G. Cavalchini, 2019

MERLINO Up & Down integra e completa le sospensioni Morgana, illuminando contemporaneamente l'ambiente verso il basso e verso l'alto.

Due sottili linee di luce parallele con diffusore bianco opale in PMMA e sorgenti LED con temperature di colore 2700K e/o 3000K, CRI > 90.

MERLINO Up & Down integrates and completes the Morgana suspensions, simultaneously illuminating the environment downwards and upwards.

Two thin parallel lines of light with white opal PMMA diffuser and LED sources with 2700K and / or 3000K, CRI > 90 color temperatures.



Finishes

- 172 Natural anodized aluminum
- 174 Black anodized aluminum

Diffuser

PMMA methacrylate

Cable

Transparent

Electronic driver

Dimmable included TRIAC

Light source

LED

LED 100-120V or 220-240V

2700K or 3000K CRI > 90

MERLINO S 50W 4200lm

MERLINO M 60W 5400lm


A

Certification


CE Classe I IP20

CONTEMPORARY

MERLINO S



MERLINO M



Units: cm



EGO

VillaToscaDesign, 2018




CONTEMPORARY




EGO

VillaToscaDesign, 2018



EGO, connubio tra minimalismo e design industriale in alluminio estruso. Diffusore in PMMA bianco opale e sorgente luminosa LED a luce diretta con temperatura colore 2700K o 3000K, CRI >90. La sospensione è disponibile in diverse lunghezze: EGO S - 69 cm, M - 102 cm, L - 135 cm, XL - 168 cm, XXL - 201 cm. EGO 11, EGO 12 - versioni da terra, misurano d'altezza rispettivamente 169 cm, 202 cm. Finiture in Bianco Fine Textured, Alluminio sabbato e Cor-Ten Fine Textured. Cavo di alimentazione trasparente. Alimentatore dimmerabile TRIAC incluso.

EGO, minimalism and industrial design in extruded aluminum. Opal white PMMA diffuser and LED light source providing direct light with colour temperature 2700K or 3000K, CRI >90. The suspension is available in different lengths: EGO S - 69 cm, M - 102 cm, L - 135 cm, XL - 168 cm, XXL - 201 cm. EGO 11, EGO 12 - floor stand versions, measuring respectively in height 169 cm, 202 cm. Finishes in White Fine Textured, Sandblasted Aluminum and Cor-Ten Fine Textured. Transparent power cable. Dimmable TRIAC power supply included.



Finishes

- 105 White FT
- 121 Sandblasted Aluminum
- 139 Cor-Ten FT

Diffuser

PMMA methacrylate

Cable

Transparent

Electronic driver

EGO S / M / L / XL / XXL

Dimmable driver included TRIAC

EGO 11 / 12

Dimmable driver included

Light source

LED

LED 100-120V or 220-240V

2700K or 3000K CRI >90

EGO S 16W 1920lm

EGO M 22W 2640lm

EGO L 28W 3360lm

EGO XL 34W 4080lm

EGO XXL 40W 4800lm

EGO 11 34W 4080lm


EGO 12 40W 4800lm




Certification




EGO S




EGO M




EGO L




EGO XL




EGO XXL



EGO 11




EGO 12



Units: cm

DOMINO MAXI

VillaToscaDesign, 2018




DOMINO MAXI


VillaToscaDesign, 2018

DOMINO MAXI, plafoniera realizzata in metallo verniciato a polveri epossidiche. Sorgente LED di potenza luminosa pari a 11,6W. Possibilità di scegliere tra diverse finiture, temperatura colore della luce - gradi Kelvin, ottiche. Personalizzabile anche tramite il CONFIGURATORE sul sito web LUMEN CENTER ITALIA.


DOMINO MAXI, large ceiling lamp in metal varnished with epoxy powders. LED light source 11,6W. Possibility to choose between different finishes, colour temperatures - Kelvin, optics. Customizable also on the CONFIGURATOR in LUMEN CENTER ITALIA website.




DOMINO DOMINO MAXI



DOMINO MAXI




DOMINO ZERO MAXI



Units:cm

CONFIGURATOR

Crea il tuo stile! / Create your style! Visit lumencenteritalia.com



New accessories complete the selection: OKKIO SPOT - directional spotlight 36° optics, and SPEAKER BT - a small Bluetooth speaker.



Finishes

105 White FT (W) (Standard)

For more finishes refer to the CONFIGURATOR

Diffuser

PMMA methacrylate diffuser
WIDE or MEDIUM or HONEY COMB

Electronic driver

Dimmable included TRIAC

Light source **LED**

LED 11,5W 100-120V or 220-240V

2700K or 3000K or 4000K

1380lm CRI >90



Optional accessories

OKKIO SPOT (36°) or SPEAKER BT

Certification

CE Classe I IP20

CONTEMPORARY

FULLMOON / SELENE

VillaToscaDesign, 2018



FULLMOON / SELENE

VillaToscaDesign, 2018

FULLMOON, sfera in PE bianco opaco che richiama una luminosa Luna piena. Cavo trasparente con lunghezza max 3m e rosone in ABS bianco. Possibili composizioni libere da 3, 5 e 9 sfere diverse abbinare a rosone in metallo verniciato bianco.

SELENE, antica Dea Greca trova il suo nome in questa sfera bianco opaca PE. Grazie ad un particolare processo di lavorazione, ogni prodotto è unico nel suo genere - ricordando un paesaggio lunare. Cavo trasparente con lunghezza max 3m e rosone in ABS bianco. Possibili composizioni libere da 3, 5 e 9 sfere diverse abbinare a rosone in metallo verniciato bianco.

FULLMOON, matte white PE sphere that recalls a bright full Moon. Transparent cable max 3mt long and ceiling rose in white ABS. Freestyle compositions available with 3, 5 and 9 different size spheres combined with matte white metal ceiling roses.

SELENE, ancient Greek Goddess finds her name in this matte white PE sphere. Thanks to a special process, every product is unique - reminding a lunar landscape. Transparent cable max 3mt long and ceiling rose in white ABS. Freestyle compositions available with 3, 5 and 9 different size spheres with combined with matte white metal ceiling roses.



FULLMOON



SELENE



Finishes

○ ABS White

Diffuser

PE Polyethylene


Cable

Transparent


Suggested light source

220/240V E27 or 100/120V E26

 Halogen ECO 1x42W max

 ECO Fluo 1x11W max

 **LED**




Certification

CE IP20

CONTEMPORARY

FULLMOON / SELENE 20/30/45/60




Units: cm






CEILING ROSE

Crea la tua sospensione! / Create your suspension lamp!




PENDANT 3

ø22 x 34




PENDANT 5

ø22 x 34




MULTI 3

ø36 x 3




MULTI 5

ø48 x 3




CLUSTER


ø12 x 12





SPHERES 20/30/45/60



SPHERES 20/30/45/60



SPHERES 20/30/45/60



Composizioni suggerite create con sfere di diametro 20/30/45 cm.

Suggested compositions created with spheres of 20/30/45 cm diameter.

Crea la lampada più adeguata e armonica, avendo la possibilità di scegliere tra le collezioni: Fullmoon 20/30/45/60 e Selene 20/30/45/60. La varietà dei rosoni proposti concede la libera configurazione di sospensioni miste e di diverso diametro. Ogni lampada ha il cavo da 3m di serie, e su richiesta fino a 5m. Negli esempi riportati vengono rappresentate diverse opzioni per esprimere al meglio stile e personalità con infinite possibilità.

Create your most appropriate and harmonious chandelier, choosing among Fullmoon 20/30/45/60 and Selene 20/30/45/60 collections. The variety of ceiling rose allows a free configuration of mixed suspension with different sizes. Each lamp has a 3m cable as standard, and on request up to 5m. In the example below, various options are shown to best express style and personality.

GILLES


VillaToscaDesign, 2018

GILLES, serie di appliques in alluminio estruso. La forma della lampada permette di avere un singolo o un doppio fascio luminoso. Sorgente LED con CRI >90, temperatura colore 2700K o 3000K, dimmerabile TRIAC. Disponibile in quattro lunghezze standard: GILLES S - 14 cm, GILLES - 26 cm, GILLES L - 38 cm, GILLES XL - 50 cm, GILLES XXL - 146 cm. Finitura in Bianco Fine Textured. Altre finiture su richiesta.


GILLES, series of bracket lamps in extruded aluminum. Its shape provide a single or a double light beam. LED light source CRI >90, colour temperature 2700K or 3000K, dimmable TRIAC. Available in four standard lengths: GILLES S - 14 cm, GILLES - 26 cm, GILLES L - 38 cm, GILLES XL - 50 cm, GILLES XXL - 146 cm. Finish in White Fine Textured. Other finishes upon request.




GILLES S




GILLES




GILLES L



GILLES XL



GILLES XXL



Units: cm

Finishes

105 White FT (Standard)

Other finishes on request.

Diffuser

PMMA methacrylate

Electronic driver

GILLES / S / L / XL / XXL

Dimmable driver included TRIAC

GILLES ON-OFF

Driver included

Light source

LED

LED 100-120V or 220-240V

2700K or 3000K CRI >90

GILLES S Up 15W Down 5W 2400lm

GILLES Up 30W Down 10W 4800lm

GILLES ON-OFF Up 20W Down 10W 3600lm

GILLES L Up 45W Down 15W 7200lm

GILLES XL Up 60W Down 20W 9600lm


GILLES XXL Up 90W Down 30W 11.500lm

A

Certification

CE Classe I IP20

CONTEMPORARY



ELETTRA

VillaToscaDesign, 2018

ELETTRA, plafone a cascata da 20 e 40 punti luce in metallo con sfere in vetro borosilicato trasparente.

Sorgenti LED da 3000K, 1W ciascuna. Cavi di alimentazione trasparenti con lunghezza massima 3 m.


Rosone verniciato Bianco opaco; tiges in Ottone lucido, Ottone satinato e Ottone bronzato.

É possibile realizzare su richiesta rosoni per attacco a soffitto da uno a più punti luce.

ELETTRA, cascade ceiling lamp with 20 and 40 lights in metal, spheres in borosilicate transparent glass. LED light sources 3000K, 1W each. Transparent power cables with maximum length 3 m.

Ceiling rose in Matte White; final rods in Polished Brass, Satin Brass and Bronzed Brass.

On request, possibility of custom made ceiling rose from one to several light points.



Finishes

- 152 Satin Brass
- 153 Polished Brass
- 176 Bronzed Brass

Diffuser

Pyrex Glass

Electronic driver

Included

Light source



LED G4 Miniature Bulb 100-240V

ELETTRA 20 20x1,5W 2700lm 3000K


ELETTRA 40 40x1,5W 5400lm 3000K

A


Certification

CE Classe I IP20

ELETTRA 20



ELETTRA 40



Units:cm





LUMEN CENTER ITALIA Srl

Via Donatori del Sangue n.37

20010 Santo Stefano Ticino (MI) Italia

tel. +39 02 3654 4811

info@lumencenteritalia.com

ITALY OFFICE

tel. +39 02 3654 4311

italysales@lumencenteritalia.com

EXPORT OFFICE

tel. +39 02 3654 4310

exportsales@lumencenteritalia.com

